

## PROOFREADING INSTRUCTIONS

Dear Contributor:

Attached please find a PDF file of your article that will be published in


*AI EDAM: Artificial Intelligence for Engineering Design,  
Analysis and Manufacturing*

**Please follow these procedures:**

1. Proofread your article carefully. This will be your final reading before publication. Check especially the notations, equations, and formulas; the spellings of names and technical terms; as well as the accuracy of dates and numbers.
2. Please answer all the queries that are listed on a separate page. Your alterations and answers to queries are to be listed in an E-mail message that delineates which page, paragraph, and line in which the changes occur. Indicate only the text to be modified and its complete replacement. **No rewriting of the final accepted manuscript is permitted at the proof stage, and substantial changes may be charged to the authors.**
3. If there are complex changes, please print a copy of your article from the PDF file and mark them clearly. Ship the marked proofs to the address listed below.
4. **Figures:** Please review the graphics in your figures for the accuracy of symbols, labels, and so forth. Also review the captions for compatibility with the figures. Revised figures must be supplied in electronic form.
5. Complete and return the attached EZ Reprint Order Form to the address **noted on the form. A FREE final PDF of the article and a bound copy of the issue will be sent to the corresponding author only.** Please note that coauthors must send in separate order forms if they wish to purchase offprints or issue copies.
6. **Please respond within 3 days to the Editor below.** In the event of complex changes, send the corrected PDF print out by the quickest method possible (air mail express is preferable and necessary for overseas papers) to

Nancy L. BriggsShearer  
BriggsShearer Editorial Services  
787 Moran Road, Oxford, New York 13830-3334, USA  
Tele 607-843-5917 Fax 607-843-5817 E-mail nbs@bses.us

PLEASE NOTE: delay in returning your proofs may require publication without your corrections. If you have any questions, please feel free to contact the above Editor. Thank you for your prompt attention to these proofs.



# Odyssey Press Inc. EZ REPRINT ORDER FORM

FOR **CAMBRIDGE UNIVERSITY PRESS**

Please place my order for reprints from the following: **(PLEASE TYPE OR PRINT CLEARLY)**

**Journal:** \_\_\_\_\_

**Log No.:** \_\_\_\_\_ **Volume:** \_\_\_\_\_ **Issue:** \_\_\_\_\_ **Month:** \_\_\_\_\_

**Article Title:** \_\_\_\_\_

**Author(s):** \_\_\_\_\_

**Total pages in article:** \_\_\_\_\_ **Article begins on page:** \_\_\_\_\_

Black and White                      4-color

**P.O. Number:** \_\_\_\_\_ **(Attach copy to order form)**

**Bill to: (If using a credit card this must be credit card billing address)**

**Name:** \_\_\_\_\_

**Company:** \_\_\_\_\_

**Address:** \_\_\_\_\_

**City:** \_\_\_\_\_ **State:** \_\_\_\_\_ **Zip:** \_\_\_\_\_

**Phone:** \_\_\_\_\_ **Fax:** \_\_\_\_\_

**E-mail:** \_\_\_\_\_

**Ship to:**

**Name:** \_\_\_\_\_

**Company:** \_\_\_\_\_

**Address:** \_\_\_\_\_

**City:** \_\_\_\_\_ **State:** \_\_\_\_\_ **Zip:** \_\_\_\_\_

**Country:** \_\_\_\_\_

**Phone:** \_\_\_\_\_ **Fax:** \_\_\_\_\_

**Signature:** \_\_\_\_\_ **E-mail:** \_\_\_\_\_

U.S. Domestic orders—UPS Ground ... Included in scale  
U.S. Alaska & Hawaii —UPS Second Day Air...  
\$40.00 per 100 reprints (\$40.00 minimum)  
International orders—Printed Matter Book: \$40.00 per 100 reprints  
(3–6 months for delivery)  
International orders—Air Printed Matter: \$105.00 per 100 reprints  
(2–4 weeks for delivery)

_____ Reprints	\$ _____
_____ Color pages	\$ _____
_____ Covers	\$ _____
_____ Gratis copies	\$ _____
_____ Journal copies	\$ _____
_____ Shipping cost	\$ _____
_____ TOTAL amount due	\$ _____

**Method of payment (check one):**

Check or Money Order (U.S. funds, payable to **Odyssey Press Inc.**) for \$ \_\_\_\_\_


Visa            Mastercard

American Express                      Card # \_\_\_\_\_

**Expiration Date:** \_\_\_\_\_ / \_\_\_\_\_ **Signature:** \_\_\_\_\_

**MAIL OR FAX THIS FORM TO:**            ODYSSEY PRESS INC. • P.O. Box 7307 • Gonic, NH 03839-7307 • U.S.A.

Fax: (603) 822-2851



# Odyssey Press Inc. EZ REPRINT ORDER FORM

FOR **CAMBRIDGE UNIVERSITY PRESS**  
**BLACK & WHITE REPRINT PRICE LIST**

For:

No. of Pages	Number of Copies				Add'l 50's
	25	50	75	100	
1-8	\$85	\$110	\$135	\$155	\$31
9-16	\$100	\$130	\$160	\$195	\$39
17-24	\$115	\$150	\$190	\$235	\$55
25-32	\$135	\$175	\$225	\$275	\$63
Add'l 8 pp.	\$20	\$30	\$40	\$50	\$15
Covers Add'l	\$5	\$10	\$15	\$20	\$6

**For orders of 1000 copies and over, please e-mail: [journals\\_production@cambridge.org](mailto:journals_production@cambridge.org)**

- Corresponding Authors are entitled to receive a free PDF and bound copy of the issue.
- There is an additional charge for color pages. Please e-mail [reprints@odysseypress.com](mailto:reprints@odysseypress.com) for an estimate.
- Reprint prices include ground UPS shipment within 48 contiguous United States.
- U.S. Alaska, Hawaii & International shipping is additional to the above reprint prices.

**Shipping:**

- U.S. Domestic orders - UPS Ground.....Included in price.
- U.S. Alaska & Hawaii - UPS Second Day Air.....\$40.00 per 100 reprints. (\$40.00 min.)
- International orders - Book Printed Matter..... \$40.00 per 100 reprints.  
**Note:** 3 to 6 months for delivery.
- International orders - Air Printed Matter:.....\$105.00 per 100 reprints.  
**Note:** 2 to 6 weeks for delivery.

**Quantity:**

**Amount:**

_____ Reprints	\$ _____
_____ Color pages	\$ _____
_____ Covers	\$ _____
_____ Gratis copies	\$ _____
_____ Journal copies	\$ _____
Shipping cost	\$ _____
TOTAL amount due	\$ _____

**Ordering Information**

All domestic orders can be paid in advance by check, money order, Visa, MasterCard or American Express—or a purchase order from a United States institution or company may be submitted. All International orders **must** be paid in advance by check or money order, Visa, MasterCard or American Express and the funds must be drawn on a U.S. bank and payable in U.S. dollars to Odyssey Press Inc. Domestic orders will be shipped via UPS—ground service. International orders will be shipped via Printed Matter Books or Air Printed Matter. **Please see chart above for freight pricing information.**

**MAIL OR FAX ORDER FORM TO:**

ODYSSEY PRESS INC.  
 P.O. Box 7307  
 Gonic, NH 03839-7307  
 U.S.A.  
 Fax: (603) 822-2851

**Note:** All orders must be accompanied by either a phone or fax number.

# EZ Reprint Ordering Procedures

## *Please Read Carefully*

---

Please note that this form is being sent only to the author receiving page proofs. Accordingly, please be sure that all co-authors' reprint orders are included on the attached form. When returning corrected page proofs to the publisher, please return reprint orders separately to the address below.

Odyssey Press Inc. will only process your reprint order if it is accompanied by the following:

- the completed EZ REPRINT ORDER FORM and...
  - For individual author and ALL International orders...
- a valid Visa, MasterCard, American Express, check, or money order for the correct amount
  - For U.S. institutional orders...
- an original purchase order, or a copy of the original purchase order

U.S. institutional orders not accompanied by a purchase order, will not be processed. If your institution does not issue purchase orders, then you must prepay by check or credit card.

Be sure that you complete the entire EZ REPRINT ORDER FORM legibly. Order forms may be filled in on your computer.

Returned checks will be subject to a \$25.00 reprocessing charge.

If your order is being shipped U.S. Alaska & Hawaii or outside the United States, you must complete the shipping instructions. The shipping charge must be included in the credit card or check/money order amount.

Orders without shipping instructions, or purchase orders not including International shipping charges will be returned.

Reprints are shipped 30 days from publication date. *Please* do not call or write with inquiries until 30 days after publication.

For questions please E-mail: [reprints@odysseypress.com](mailto:reprints@odysseypress.com)

**MAIL OR FAX ORDER FORM TO:**

ODYSSEY PRESS INC.  
P.O. Box 7307  
Gonic, NH 03839-7307

Fax: (603) 822-2851

---

**Fill out order form completely**

# The effect of representation of triggers on design outcomes

PRABIR SARKAR AND AMARESH CHAKRABARTI

Centre for Product Design and Manufacturing, Indian Institute of Science, Bangalore, India

(RECEIVED June 21, 2007; ACCEPTED November 30, 2007)

## Abstract

Creativity of designers can be enhanced by the application of appropriate triggers. The presence of triggers helps designers to search solution spaces. The searching of a solution space increases the possibility of finding creative solutions. Both representation and content of the triggers or stimulus to which the designers are exposed are believed to play a vital role in the representation and content of the outcome of the designers during problem solving. We studied the effect of representation of triggers on ideas generated by six design engineers while trying to solve a given problem. A variety of representations (video/animation and audio, text, explanation, and others) that are potentially useful to designers for five prespecified triggers were administered to each designer, who generated ideas in response to each trigger–representation combination individually. The effect of representations of these triggers on the content and representation of the solutions generated by the design engineers was studied. The results showed significant influence of the representation of the triggers on the representations, number, and quality of the resulting ideas that were generated.

**Keywords:** Creativity; Design Representation; Multimodal; Trigger

## 1. INTRODUCTION

In this work we support design exploration using multiple external representations (MERs) of knowledge triggers, so as to help designers improve the chances of developing designs with greater creative quality. Because a trigger is always given using a particular representation, both its content and form (or representation) could potentially influence the effect created by the trigger. Although the effect of the content of the triggers is generally well studied (see more in Section 2), the influence of representation of the triggers, especially in the context of engineering design, does not seem to have been studied much.

The specific objective of this work is to understand the influence of representation of knowledge triggers (called “triggers” in the rest of the paper) on the representation and quality of the designs generated by designers.

Many research studies have been reported where the effect of representation is investigated on various tasks such as learning or collaboration. For instance, Potelle and Rouet (2003) investigated the effects of different content representations in hypermedia and whether variations in the presentation of the information in either a hierarchical, network map, or alphabetical list aids learners with low prior knowledge and

high prior knowledge of the subject. Suthers and Hundhausen (2002) similarly reported the effects of representations on collaborative processes and learning, where pairs of participants worked on one of three representations (matrix, graph, or text) while investigating a complex public health problem. The results showed significant impact of the representation types on the students’ elaboration of their emerging knowledge, in particular, how they stored this knowledge and whether they would revisit this knowledge later. However, the effect of representations of knowledge triggers on ideation tasks does not seem to have been studied before.

Earlier work published by us (Chakrabarti et al., 2005) demonstrated that, in general, use of triggers represented with MERs from an inspiration provider tool called Idea-Inspire (Indian Institute of Science, 2004) has the potential of supporting a generation of a wider variety of ideas in designers. However, the work showed that the overall impact of using triggers, rather than how the representations were used, influenced the process of exploration and its outcome, that is, the kind of search processes that were triggered and the designs that were produced as a result.

MERs have long been recognized as a powerful way of facilitating understanding and learning (Ainsworth & Labeke, 2002). Early research into understanding learning concentrated on using pictures with text to improve understanding (Mayer, 1993). Further work focused on understanding the impact of including animations, sound, video, and simulations

Reprint requests to: Amaresh Chakrabarti, Centre for Product Design and Manufacturing, Indian Institute of Science, Bangalore 560012, India. E-mail: ac123@cpdm.iisc.ernet.in

(Ainsworth & Labeke, 2002). Many research works focused on how specific representations influence learning and problem solving. For instance, Larkin and Simon (1983) proposed that diagrams exploit perceptual processes by grouping together information that makes search and recognition easier. In addition, because descriptive representations are symbolic in nature, they were seen as better at describing general information, whereas depictive representations, the more iconic, were seen as better at providing specific information about instantiations of concrete objects (Schnoltz, 2002).

Use of multimodal knowledge for supporting some tasks in design has also been reported. For instance, Zabel et al. (1999) have developed a multimodal environment to support all stages of the industrial design process. The system is meant to support a designer starting at the very early stages of the design process up to the production and reengineering of physical models. This switching between the virtual and the physical world is what they call *multimodal*. To deal with all those stages, the system's architecture comprises commercially available tools as well as completely new developed components. Another example is the system developed by Adler and Davis (2004) that, based on the understanding that some information is better conveyed verbally rather than spatially, captures and aligns speech and sketching inputs to create a multimodal system where the user can have a natural conversation with the computer, of the sort a user might have with another person. Yet another instance is the Digital Design Recorder Project (Gross et al., 2001), which aims to make design transcription easier, by helping to capture the spoken and drawn events of a design session, and constructing a machine-searchable transcription that serves as a pointer into the source data captured during the design session. The three components—drawing, audio, and text transcript—are arrayed in a multimedia document for review and annotation. However, no specific instances have been found in which multimodal representation has been used specifically for aiding ideation.

The importance of using multimodal representations, particularly for generation of design proposals, has been stressed by Chandrasekaran (1999). Chandrasekaran argues that providing perceptual cues and supporting extraction of perceptual predicates are the two most important roles of perceptual representations, and argues that the first is particularly important in *propose*, *critique*, and *modify* subtasks, whereas the second is particularly useful in *verify* subtasks. Therefore, multimodal representations should be good at triggering ideation processes. Particularly important for the context of this paper is his proposition that cues to memory during the *propose* subtask can be multimodal, enhancing the possibility of retrieving design possibilities from design memory related to all perceptual categories and their associations. Linking this to the work of Goel (1995) on sketching and the importance of its vagueness and ambiguity in allowing multiple interpretations, he argues that ambiguous representations could potentially lead to multiple alternative proposals.

Study of existing literature on MERs and multimodal environments seems to indicate that, although some general and

much discipline-specific literature exists for understanding the effect representation on various tasks, and some design support environments have begun to emerge, little has been researched in the general understanding of the impact of representations on designing, and in particular that of triggers on creative quality of ideation. Our focus is specifically on the impact of representations used in triggers on the process of exploration, leading to creation of new designs generated by experienced engineering designers.

### 1.1. Triggers and designing

The presence of a stimulus can lead to more ideas being generated during problem solving (Young, 1987; Kletke et al., 2001). Watson (1989) demonstrates empirically that individuals being stimulated with association lists demonstrate more creative productivity than do those without such stimuli.

A trigger is a stimulus for something: a stimulus that sets off an action, process, or series of events (Microsoft, 2007). It is a cause to function or to make something happen (Oxford University Press, 2007).

Stimulus has been defined as an agent (or something) that provokes or promotes interest, enthusiasm, or excitement (Microsoft, 2007; Oxford University Press, 2007). This agent encourages an activity or a process to begin, increase, or develop (Cambridge University Press, 2007; Microsoft, 2007). Freemantle (2001) defined stimulus as a small packet of energy that triggers the expenditure of a much larger amount of energy. The meaning of trigger is similar in meaning to that of a number of other terms: stimulus, metaphor, and inspiration. Generally, these provide association or analogy between different objects that are related in some aspects, which is the main reason for their activation. A metaphor is an association between two concepts, through properties that are common to both concepts (Nakakoji et al., 2000).

In engineering design, the presence of triggers helps designers to search for problems, generate solutions, and identify evaluating criteria for evaluating and selecting the generated solutions. The presence of triggers also helps in the search of design spaces (Sarkar & Chakrabarti, 2007); use of suitable triggers can help activation of “exploration,” which can help designers identify crucial design spaces to direct their “search” (see Section 1.2). Thus, we consider a trigger as “an agent that encourages exploration and search of design spaces to begin or increase.” In summary, we take the view that a “trigger is an agent that activates exploration and search in design.”

### 1.2. Understanding search and exploration

Exploration is a process by which ill-structured knowledge is converted into well-structured knowledge through browsing large design spaces after determining the space within which to search, whereas Search is a process of finding improved designs in a given design space (Sarkar & Chakrabarti, 2007). A “design space” consists of a set of data (which

184  
185  
186  
187  
188  
189  
190  
191  
192  
193  
194  
195  
196  
197  
198  
199  
200  
201  
202  
203  
204  
205  
206  
207  
208  
209  
210  
211  
212  
213  
214  
215  
216  
217  
218  
219  
220  
221  
222  
223  
224  
225  
226  
227  
228  
229  
230  
231  
232  
233  
234  
235  
236  
237  
238  
239  
240  
241  
242  
243  
244

can be problems, solutions, or evaluation criteria) that are similar to each other in some respect. Depending upon the relationship and the level of abstraction used, a design space can overlap with, or subsume other design spaces. Design space generally means “solution design space” for exploring alternatives (Woodbury & Burrow, 2006). A design space may consist of many problems and their respective solutions. A “problem design space” (or simply *problem space*) contains many similar problems, as a “solution space” contains many similar solutions, or an “evaluation space” contains many similar evaluation criteria.

Jansson and Smith (1991) argued that showing designers a picture of a potential design solution to a problem prior to a design session should result in fixation. In some sense we are trying to find what kind of fixation of the outcome takes place because of the administration of different kinds of representation of the same trigger as content.

Through design experiments Sarkar and Chakrabarti (2007) found that in designing the number of occurrences of the type “exploration” is negligible. Next, it has been observed that searches in the idea generation phase can be further classified into other subcategories according to the link of an utterance with the previous utterances, namely, “unknown solution search,” “global solution search,” “local solution search,” and “detail solution search.” It was also observed that similar kinds of search are present not only in solution generation but also in problem understanding and solution evaluation stages. (See Appendix C for ways of finding different kinds of searches during solution generation.)

An “unknown” or “global search” represents search in a global solution space that is less specific than that of the local and detailed spaces (see Appendix C). In addition, the designers search first unknown or global, then local, and ultimately detailed spaces, leading to the solutions becoming more and more detailed. Global, local, and detailed search spaces are visited by designers (while solving other similar problems) whereas unknown spaces are not. Search at the higher level in the hierarchy (such as unknown and global) include and influences searches that are in the lower level of hierarchy (e.g., local or detailed; Sarkar & Chakrabarti, 2007).

### 1.3. Content and representation of a trigger

Effective triggering depends on both the *content* (which trigger is shown) and the *representation* (how it is shown) of the trigger used.

Research reported earlier demonstrated the positive influence that triggers have in enhancing creativity or solving engineering problems. Kletke et al. (2001) argued that stimulus can lead to more ideas during the idea generation phase of design. MacCrimmon and Wagner (1994) noted that stimulus-rich creativity techniques positively impact creativity, especially when the initial ideas have been exhausted. Liberman (1977) noted that playful stimuli foster creativity. While researching many creative problem-solving techniques, Young (1987) showed that providing appropriate stimuli

helps to enhance creativity. Boden (1994) expressed that a creative idea is a novel and valuable combination of familiar ideas. Boden (1994) also argued that an agent could help by suggesting, identifying, and evaluating differences between familiar ideas and novel ones.

Several authors focus on obtaining a detailed understanding of representations of design. For example, Goel and Chandrasekaran (1989) found that knowledge specific to the design of a device is required to solve redesign problems effectively and efficiently. Chandrasekaran (1988) argued that knowledge available to the designer and computational efficiency of finding a solution affects selection of effective methods for solving tasks and subtasks.

A number of methods for creation and selection of triggers for enhancing creativity or problem solving have been proposed in the past. Trigger word technique, trigger sessions, pin cards, or pictures as idea triggers (Website 1, 2007) are some of the creativity techniques that employ suitable triggers for helping designers generate ideas. Chakrabarti et al. (2005) have developed the State-Action-Part-Phenomenon-Input-oRgan-Effect (SAPPhIRE) model of causality and used this for selecting suitable entries as triggers from a database of entries of natural and artificial systems.

Literature on analogy mainly focuses on how the content of the analogical material is related to the design outcome created. In contrast, in our work, the main focus is on the form of the triggers, and understanding how this influences both the form and the content of the final design outcomes (i.e., the analogical material).

## 2. OBJECTIVES AND METHODOLOGY

This work focuses on the specific objectives of how design representation of triggers influence the representation and creative quality of outcomes of the designs inspired by these triggers. We asked the following research questions:

1. What are the most effective representations?
2. What kinds of search spaces are found using what kinds of representation of triggers?
3. How does the representation of triggers influence the creative quality of solutions?
4. How flexibility is influenced by the representations?
5. How does the representation of triggers used influence the representation of solutions created using these triggers?
6. What representations does a creative designer prefer?
7. How does the order of a given set of triggers influence the representation of the solutions generated?
8. What is the best likely order of representation?

To answer the above research questions, we first identified and categorized different kinds (modalities) of representation of triggers. Then, we created a suitable database that contained similar contents of triggers represented in different ways. Next, as a pilot study, we asked an experienced designer to solve an engineering problem using suitable

triggers from this database. Those triggers that were found effective by this designer were selected for use in the main design experiment. Different representations of these selected triggers were then placed in separate slides in a presentation form. The sequence of representations for each trigger was randomized. Later, each slide was shown to six volunteer design engineers who solved the same given problem, using each slide as a trigger. These design engineers (all with a graduate degree in engineering and with at least 1 year (average 2 years) of mechanical engineering design experience and 2 years of research experience) were asked to capture each solution they generated in white sheets, along with the number of the slide that triggered the solution. Both the experiments were conducted in laboratory setting. Even though there was no strict time constraint, each slide was shown in the main experiment for about 5 min. In case any designer generates an idea because of the effect of the content of a previous slide late during the experiment, the designers are requested to capture the idea in the same place where other ideas from the previous slide is captured.

### 3. REPRESENTATION OF TRIGGERS

There are many possible modalities for representation of a trigger. Because a “trigger is an agent that activates exploration and search in design,” theoretically a designer can be triggered by any information that activated one or more senses (see Table 1).

We argue that in the earlier stages of engineering design, designers are triggered mostly through their eyes and ears. Thus, we concentrated on those representations that are more widely used in engineering design. Initially, we tried to identify suitable triggers that can be represented in all possible representations that engineering designers might

**Table 1.** Possible representations

Knowledge Acquiring Receptors	Possible Representations	Possible Ways of Getting Triggers
The eye (vision center)	Video, text, image, graphical, shape, and size	Reading books, Internet, analysis of products
The ear (auditory center)	Audio	Discussion: one to one, group
The nose (olfactory sensations)	Smell of products (e.g., chemicals)	Smell as analysis of products, used only in certain industries such as perfume, coffee
The skin (sense of touch)	Texture, size, shape of products	Analysis of products
The tongue (sense of taste)	Taste of products (e.g., chemicals, food)	Taste as analysis of products, used only in certain industries such as ice cream or chocolate

use. The triggers were chosen from Idea-Inspire (2004). Each entry in the databases of Idea-Inspire has video, audio, textual, and image as representations. What was missing was a representation using graphical means, which was added.

### 4. DIFFERENT KINDS OF REPRESENTATION OF TRIGGERS

Six different representations were used (see Appendix A for details):

1. only a *video* as representation of the selected trigger (visual and auditory)
2. only an *image* as representation of the selected trigger (visual)
3. only a function–behavior–structure (*FBS*) model as representation (verbal)
4. only data of *SAPPhIRE* model as representation (verbal)
5. only a simplified *SAPPhIRE* model (explicit) in the form of verbs, nouns, and adjectives (*link VNA*, verbal)
6. only a linked *SAPPhIRE* model (explicit) in the form of paragraphs (*linked para*, verbal)

### 5. PILOT STUDY AND SELECTION OF TRIGGERS

First a design problem is selected, such that the generation of solutions does not require any special knowledge of a particular domain. The selected problem is shown in Appendix B. The experienced designer (with 7 years of design experience), who took part in the pilot study, solved the problem using triggers from Idea-Inspire. The designer used various search strategies to find suitable entries from the Idea-Inspire database. Next, the designer had selected five entries<sup>1</sup> that were very effective for him in solving the problem given. It was assumed that these would also be effective on others in solving this problem. These five entries are then broken down into their corresponding basic representations (6 for each case, 30 in total) as mentioned above and placed in separate slides in a Microsoft PowerPoint presentation.

### 6. CONDUCTING THE MAIN DESIGN EXPERIMENT

In a laboratory setting, the six design engineers (described earlier) were asked to generate concepts to solve the same problem (Appendix B) individually, using each slide of the presentation above as a trigger. The slides are projected using a projector to all the designers who have worked individually and no interaction among them was allowed. Blank sheets

<sup>1</sup> The five entries as triggers are bat wings, expanding grill, pitcher plant opening, sundew opening, and nested slide.



were provided to capture the solution generated after each slide was shown to them one at a time.

the idea in words. In general, a sketched solution is followed by some verbal expression.

## 7. REPRESENTATIONS USED BY THE ENGINEERING DESIGNERS

The representations used by the designers fall into three categories:

1. Sketches only (shown as *s* in the tables): This is when a designer has only sketched the solution.
2. Explanation only (*e*): This is a verbal expression of a solution without the help of any sketching.
3. Both sketching and explanation (*s + e*): This representation is a combination of sketching and explanation of

## 8. RESULTS AND ANALYSIS

The results of the experiment are being shown in Table 2. The first column of Table 2 shows the trigger number in the same sequence as provided to the designers shown in Table 2, the second column its representation, the third representation used by a designer (D) to express the solution generated, followed by the type of search space found (column 4). Data for all the designers are shown. The representation used for each trigger in each slide is also shown as it was shown to all the participant designers.

Data from the experiments (Table 2) are further analyzed with the following analyses.

**Table 2.** Results of the experiment with six design engineers (D1–D6)

Slide No.	T	Representation	D1	SE	D2	SE	D3	SE	D4	SE	D5	Se	D6	SE
1	1	Image	s + e	gs	3s	3gs	e	gs	2s + e	2gs	s + e	gs	e + 3s	2gs + ds
2	1	Video	s	ds			s	gs	e	gs	3s	3gs	s	ds
3	2	Linked para	s	ls	s + e	gs			e	gs	e	ls		
4	2	Linked VNA	e	ds	s + e									
5	1	Linked para	e	ds	s + e	gs	e	us	2s + e	2ds				
6	1	Linked VNA	e	ds										
7	3	FBS	s + e	gs			e	ds					e + s	gs
8	3	Sapphire 1			s + e	gs	e	ds			3s	3ds		
9	3	Sapphire 2	s	ls										
10	4	Video	s	gs	2s + e	2ls	e	ds	e	ls			e + s	ds
11	4	Image			2s	2ls			s	ls				
12	1	FBS	s + e	gs			e	gs	s	ds			e + s	gs
13	1	Sapphire 1												
14	1	Sapphire 2	e	ds										
15	4	Linked para			s	ds								
16	4	Linked VNA	e	ds	s									
17	4	FBS	e + s	gs	s		s	gs	s	gs				
18	4	Sapphire 1			s									
19	4	Sapphire 2	e	ds										
20	2	Sapphire 1												
21	2	Sapphire 2			s	gs			e	gs				
22	2	Image			s	ls	s + e	gs						
23	2	Video	s + e	ls							s	gs	s	gs
24	5	Image	s + e	ds										
25	2	FBS			s + e	gs			e + s	gs				
26	5	Sapphire 1	e	ds					e	ds				
27	5	Sapphire 2							e	ds			s	gs
28	3	Image	s	ds	s	gs	2s	2ds					s	ds
29	3	Video												
30	3	Linked para												
31	3	Linked VNA												
32	5	Linked para												
33	5	Linked VNA												
34	5	FBS	s	ds					e	ds				
35	5	Video												

T, trigger (no.); D, response of an engineering designer; s, solution has been sketched; e, solution has been explained; sapphire 1 and sapphire 2, SAPPiRE constructs shown in two different slides (because one slide was not enough for all seven constructs); SE, search types (us, unknown solution search; gs, global solution search; ls, local solution search; ds, detailed solution search; see Appendix C). The empty cells show that the designer did not generate any solution for that particular representation.

### 8.1. Finding the most effective representation (quantity)

Data from Table 2 were summarized and sorted according to the representation to evaluate the effectiveness of each kind of representation on engineering designers, and Table 3 was constructed. Note that the effectiveness of the representations is assessed in terms of both the number of solutions generated in response to the use of each representation, described as *quantity* (Table 3), and the evaluation of the number and kind of search spaces generated, described as *quality* (Table 4), which are further explained in Section 8.2.

Among the six kinds of representation used, representation by image and video are of a nonverbal type and the other four can be categorized as verbal. Table 3 shows the number of ideas generated by the six design engineers when a different kind of representation is shown to them. Because the total number of generated ideas is higher when nonverbal representation is used, it can be concluded that nonverbal representation is more effective on designers. Thus, fluency increases with the use of nonverbal representation. Because there are two kinds of nonverbal and four kinds of verbal representation used, the number of ideas generated per kind of verbal and nonverbal representation are also calculated in Table 3, which also shows that nonverbal triggers are more effective.

### 8.2. Finding the most effective representation (quality)

The quality of the ideas is judged by both the number and kind of search spaces found during the problem-solving session using each kind of representation. Table 4 shows the cumulative effect of each kind of representation on all the engineering designers. Because generation of higher levels of searches improves the solutions more (refer to Section 1.2), we ascribe each generation of unknown search (us) 4 points, each global search (gs) 3 points, each local search (ls) 2 points, and each detailed search (ds) 1 point. The total number of points awarded to each instance of search triggered by a representation as taken here is its cumulative effect on quality (Table 4).

Table 4 shows the total number of different kinds of search spaces found for each type of representation. Because differ-

ent amounts of different kinds of search spaces are generated for each type of representation, and because occurrence of higher level of searches (such as us or gs) are regarded as more effective than the occurrence of a lower level of searches (such as ls and ds; Sarkar & Chakrabarti, 2007), it was essential to assign points to compare the efficacy of each kind of representation. A higher level of searches was given more points compared to a lower level of searches. Table 4 shows that the quality of the solutions that are generated is best when image is used as the representation followed by video, FBS, and others. Next, all verbal mode of representation and nonverbal mode of representation are combined and an average point is found. Table 4 indicates that the quality of the ideas generated is likely to be better using triggers that are represented using nonverbal ways.

### 8.3. Flexibility (variety of solutions) and representation of triggers

Table 5 was constructed from Tables 2 and 4. According to Torrance (1979), flexibility is the ability to produce a large variety of ideas. We consider the variety in solutions generated in terms of the generation of very different ideas (us and gs) and in terms of the generation of less different ideas (ls and ds). This one could be considered flexible if we can generate both very different and very similar solutions—the number of different search spaces generated uniformly. This is because as a designer searches different search spaces the designers generates different kinds of solutions, and when the same design spaces are searched, the designer would generate solutions that are relatively similar. A designer could be considered flexible if one can search various kinds of search spaces that are both different and same uniformly. Table 5 has been derived from Table 4. In Table 5 the percentage of different kinds of search spaces found is calculated and standard deviation (SD) is also calculated. Next, the average standard deviations for nonverbal and verbal representation are calculated. A smaller SD value means that the data are more uniform. Table 5 shows that for nonverbal representation the outcome is more uniform. This shows that the variety of ideas gets increased when the triggers are represented nonverbally.

**Table 3.** The effect of representations on the number of ideas generated

General Representation	Representation	No. of Ideas	%	General Representation	Average <sup>a</sup>	Average	Average (%)
Nonverbal	Image	22	27.85	Nonverbal	38/2	19	64.96
	Video	16	20.25	Verbal	41/4	10.25	35.04
Verbal	SAPPhIRE	14	17.72	Total		29.25	
	FBS	14	17.72				
	Linked para	10	12.66				
	Linked VNA	3	3.80				
	Total	79					

<sup>a</sup>Total number of ideas/kinds.

**Table 4.** Effect of representation on the quality of the generated ideas

	us	gs	ls	ds	usp (us × 4)	gsp (gs × 3)	lsp (ls × 2)	dsp (ds × 1)	Total Points
Image	0	12	4	6	0	36	8	6	50
Video	0	8	4	4	0	24	8	4	36
SAPPhIRE	0	4	1	9	0	12	2	9	23
FBS	0	10	0	4	0	30	0	4	34
Linked VNA	0	0	0	3	0	0	0	3	3
Linked para	1	3	2	4	4	9	4	4	21
Total (79)	1	37	11	30	4	111	22	30	167
	<b>Average</b>	<b>AP</b>							
Nonverbal (image + video)	86/2	43							
Verbal (others)	81/3	27							

us, unknown solution search; gs, global solution search; ls, local solution search; ds, detailed solution search (see Appendix C); usp, unknown search point calculated as the value of us multiplied by 4; gsp, global search point (gs × 3); lsp, local search point (ls × 2); dsp, detail search point (ds × 1); AP, average point.

### 8.4. Mapping triggers representation with the solutions representation

The representation of the solutions are mapped with that of the triggers and shown in Table 6.

As explained in Section 7, representations that the designers have used to express their solutions are either a sketch (s) or verbal explanation (e) or both (s + e). Although calculating, for each s + e generated we have increased the total number of s by 1 and total number of e by 1 (to calculate total s or e) and also separately represented them under s + e.

Table 6 shows that total number of s (see column 2) is high compared to e (see column 3), for nonverbal representations such as image and video; one can say that when the nonverbal mode of representation is used for triggering designers, they tend to represent their outcome by nonverbal means.

Similarly, verbal modes of triggering designers are more included to represent those using verbal ways.

Table 6 also shows that the total number s generated during the entire experiment is higher than that of e, leading us to believe that that designers generally prefer to represent their solutions nonverbally. One possible reason can be physiological; when designers generated a very different (new) solution the designer may feel the necessity of explaining it using a sketch, or else others may not understand. For trivial or simple solutions, the designer might assume that only verbal explanation would be enough.

Because the correlation between the values of s (21, 13, 7, 11, 6, 0) of all six types of representations and corresponding values of s + e (6, 3, 1, 7, 3, 0) for them and that between their e (7, 6, 8, 10, 7, 3) and both s + e are similar, it can be said that designers equally prefer to represent a solution by first

**Table 5.** Flexibility

	us	gs	ls	ds	Total	SD
Image	0	12	4	6	22	
%	0.00	54.55	18.18	27.27		22.73
Video	0	8	4	4	16	
%	0.00	50.00	25.00	25.00		20.41
Sapphire	0	4	1	9	14	
%	0.00	28.57	7.14	64.29		28.87
FBS	0	10	0	4	14	
%	0.00	71.43	0.00	28.57		33.76
Linked VNA	0	0	0	3	3	
%	0.00	0.00	0.00	100.00		50.00
Linked para	1	3	2	4	10	
%	10.00	30.00	20.00	40.00		12.91
	0	30	20	40		125.53
	<b>Average (SD)</b>					
Nonverbal	43.14 (2)	21.5698				
Verbal	125.53 (4)	31.3833				

**Table 6.** Mapping trigger representations with the representations of the generated ideas

	Total s	Total e	Both (s + e)
Representation			
Image	21	7	6
Video	13	6	3
SAPPhIRE	7	8	1
FBS	11	10	7
Linked para	6	7	3
Linked VNA	0	3	0
Total	58	41	20
General representation			
Verbal (others)	24	28	11
Nonverbal (image and video)	34	13	9
Correlation			
s - (s + e)	0.75		
e - (s + e)	0.71		

Pearson correlation was used;  $p < 0.02$  for both values.

sketching and then explaining the sketching or first explaining the idea and then sketching the idea.

### 8.5. Mapping designers performance with their solution representation

We have tried to identify here the most creative designers among the six involved in the experiment. Because search at the higher levels of *search hierarchy* (Section 1.2) increases the chances of the resultant solutions to be more creative, we gave points to each kind of search (as before) carried by each designer, aggregated the total number of points for each designer,<sup>2</sup> and compared them to find the highest scoring ones as the most creative designers (Table 7).

Table 7 demonstrates that designers D1 and D2 are the most creative. The table shows that most creative designers on average prefer to represent their ideas using nonverbal representations (for some others this would also be applicable).

### 8.6. Effect of the order of representation on idea generation

Each sequence in Table 8 denotes a total of five slides shown serially to the designers. Each cell shows the number of ideas generated by all the designers taken together in response to the specific trigger shown in a specific representation in that step of the sequence. Note from Table 2 that the various representations that are used in expressing the triggers are administered to the designers randomly. Table 8 shows that, irrespective of the representation of triggers that is administered first, the representations that appear first have more effect (i.e., lead to generation of a larger number of

<sup>2</sup> Regarding allotting points, the assigned scores are based on the condition that us should be assigned more points than gs, and so on. Thus, we have assigned 4 points to us, 3 to gs, 2 to ls, and 1 to ds.

**Table 7.** Finding the most creative designers

		D1	D2	D3	D4	D5	D6
Representation							
Sketching (s)		12	15	5	8	8	10
Explanation (e)		13	5	7	10	2	4
Sum		25	20	12	18	10	14
Both (s + e)		6	5	1	3	1	4
Percentage							
s		48	75	41.67	44.44	80	71.43
e		52	25	58.33	55.56	20	28.57
Searches							
Unknown	us	0	0	1	0	0	0
Global	gs	5	9	5	7	5	6
Local	ls	3	5	0	2	1	0
Detail	ds	11	1	5	6	3	4
Total no. of ideas		19	15	11	15	9	10
Points							
usp	X4	0	0	4	0	0	0
gsp	X3	15	27	15	21	15	18
lsp	X2	6	10	0	4	2	0
dsp	X1	11	1	5	6	3	4
Total		32	38	24	31	20	22

While calculating, for each s + e generated we increased the total number of s by 1 and total number of e by 1 (to calculate total s or e) and separately represented them under s + e. us, unknown solution search; gs, global solution search; ls, local solution search; ds, detailed solution search (see Appendix C); usp, unknown search point calculated as the value of us multiplied by 4; gsp, global search point (gs x 3); lsp, local search point (ls x 2); dsp, detail search point (ds x 1).

ideas) on the designers than those administered progressively later. Table 2 also shows that designers tend to generate more ideas in the beginning of the experiment; this is possibly because they would have more patience, concentration, and enthusiasm (motivation) in the beginning of the experiment. Another possible reason is that those shown later still have the same content, and only the representation is different; therefore, what was possible to be triggered from them is derived from their earlier representations, and little is left to be triggered later.

Table 9 shows the entire series of 30 slides shown as five sequences, in which each sequence denotes 6 slides, and

**Table 8.** The effect of the order of any representation on idea generation

Sequence	T1	T2	T3	T4	T5	Total
1	11 (1)	4	3	6	1	25
2	7 (2)	1	5	3	2	18
3	5 (5)	0	1	1	2	9
4	1 (6)	2	5	1	0	9
5	4 (12)	2	0	3	0	9
6	1 (13,14)	5	0	1	2	9

T1–T5 represent different triggers. Sequence shows the sequence of different representations that were shown to the designers irrespective of the type of representation (verbal or nonverbal). The slide number is shown in parenthesis only for the first trigger (refer to Table 2).

**Table 9.** *The effect of the order of representation*

Sequence	Video	Image	SAPPhIRE	Linked VNA	Linked para	FBS	Total
1	7	11	6	1	4	3	32
2	6	3	1	1	5	4	20
3	3	2	1	1	1	3	11
4	0	1	2	0	0	2	5
5	0	5	2	0	0	2	9

each slide has a different representation. The table shows that when a trigger is given to a set of designers the nonverbal representations have more effect on them than verbal ones.

## 9. DISCUSSION

Some of the findings were predictable. It was anticipated that sketching would be a more common way of representing solutions for designers than other ways. Another was the likelihood that, regardless of in what order the triggers are presented, the earlier ones would get more attention than the later ones. It was also anticipated that images would be more interesting and therefore more attention catching than the verbal triggers. However, whether this greater attention would turn into a greater number or quality of solutions was not clear.

More results turned out to be different from anticipated. The first was the strong influence that the kind of representation that triggers had on the kind of representation of the solutions generated. Because the kind of representation of triggers also had a strong influence on the number and quality of solutions, this was an important finding in this work.

We had anticipated that video would draw the most attention; it might be the most influential of the triggers. Unexpectedly, images turned out to be the most influential. Similarly, among the verbal representations, as used in this paper, we had felt the graphical ones would be the most influential as they would provide clearer and a more detailed account of the functionality of the triggers. It turned out that the more textual representations yielded greater results. This is also in contrast to what was predicted by Larkin and Simon (1987).

We also thought images would generate more detailed searches, whereas textual ones would generate more general searches. In reality, the findings indicate a relatively uniform array of searches triggered by the images, whereas textual ones do not show any specific pattern.

The empirical findings do not point to a clear explanation, although the degree of attention drawn by the triggers seems to be an important (but not the only) factor. The motivation of the designers could be another factor that might be relevant, and needs to be investigated in greater detail.

There are some inherent limitations of this work detailed here. Even though we have taken considerable care to keep the depth of explanation or the detail of the information provided in each kind of representation the same, we believe that

the contents are not exactly the same across representations. This is because each representation has different advantages and disadvantages in terms of expressing the content of a trigger. For example, a video is inherently better in showing the dynamic aspects of the content, whereas the verbal mode is better in terms of explaining the behavior of a trigger, and an image could be used both for explaining the internal and the external structure of a trigger.

One observation during the analysis was that the designers predominantly expressed their outcome in nonverbal ways. One possible reason could be that designers are predisposed to nonverbal modes of expression and when they are triggered using nonverbal means the outcome tends even more toward nonverbal mode of expression (discussed in Section 8.4).

## 10. SUGGESTIONS FOR USE OF TRIGGERS

Suggestions can be drawn from the above analysis that when triggers are to be applied by designers, the following point should be noted: for a given content of a trigger representation nonverbal representations could be followed by verbal representations to make a trigger more effective. Thus, it is better to represent the content first using videos and images followed by explanatory texts and linked texts.

## 11. CONCLUSIONS

Using design experiments we observed how the representation of a trigger influenced the efficacy of the trigger on inspiring solutions in engineering designers. Analyses of the effects of both nonverbal (image and video) and verbal (FBS, SAPPhIRE model, and two kinds of linked representations) representations have shown that nonverbal expressions were more effective as triggers than verbal expressions. In addition, designers were found to represent ideas predominantly nonverbally when triggered nonverbally, and verbally when triggered verbally. It has also been found that a nonverbal expression of triggering seemed to enhance the quality of the solutions generated. It was also noticed that representations earlier in the order, though with the same content of a trigger, were more effective. Again, nonverbal representations when preferred over verbal representations in a sequence (when the same content of a trigger is applied) is more effective.

Many of the findings remain unanticipated and unexplained. A more comprehensive theoretical development

must follow to explain the findings. This notwithstanding, some suggestions have been made from these to make application of triggering more effective.

## ACKNOWLEDGMENTS

We express our thanks to all of the participant designers.

## REFERENCES

- Adler, A., & Davis, R. (2004). *Speech and Sketching for Multimodal Design, IUI'04*. Funchal, Portugal: Maderia.
- Ainsworth, S.E., & Van Labeke, N. (2002). Using a multi-representational design framework to develop and evaluate a dynamic simulation environment. *Dynamic Information and Visualisation Workshop*, Tubingen.
- Boden, M.A. (1994). What is creativity? In *Dimensions of Creativity* (Boden, M.A., Ed.), pp. 75–117. Cambridge, MA: MIT Press.
- Cambridge University Press. (2007). *Cambridge Advanced Learner's Dictionary*. Cambridge: Cambridge University Press.
- Chakrabarti, A., Sarkar, P., Leelavathamma, & Nataraju, B. (2005). A functional representation for aiding biomimetic and artificial inspiration of new ideas. *Artificial Intelligence in Engineering Design, Analysis and Manufacturing* 19(2), 113–132.
- Chandrasekaran, B. (1988). Design: an information processing level analysis. In *Design Problem Solving: Knowledge Structures and Control Strategies* (Brown, D., & Chandrasekaran, B., Eds.). London: Pitman.
- Chandrasekaran, B. (1999). Multimodal perceptual representations and design problem solving. *Visual and Spatial Reasoning in Design: Computational and Cognitive Approaches Conf.*, MIT, Cambridge, MA, June 15–17.
- Freemantle, D. (2001). *The Stimulus Factor*. Englewood Cliffs, NJ: Prentice Hall.
- Goel, A.K., & Chandrasekaran, B. (1989). Functional representation of designs and redesign problem solving. *Int. Joint Conf. Artificial Intelligence*, pp. 1388–1394.
- Goel, V. (1995). *Sketches of Thought*. Cambridge, MA: MIT Press.
- Gross, M.D., Johnson, B.R., & Do, E.Y.-L. (2001). The design amanuensis—an instrument for multimodal design capture and playback. *Proc. Int. Conf. Computer Aided Architectural Design Futures*, pp. 1–13.
- Indian Institute of Science. (2004). *Idea-Inspire User's Manual*. Bangalore, India: Indian Institute of Science, Centre for Product Design and Manufacturing.
- Jansson, D.G., & Smith, S.M. (1991). Design fixation. *Design Studies* 12(1), 3–11.
- Kletke, M., Mackay, J.M., Barr, S.M., & Jones, B. (2001). Creativity in the organization: the role of individual creative problem solving and computer support. *International Journal of Human-Computer Studies* 55, 217–237.
- Larkin, J.H., & Simon, H.A. (1987). Why a diagram is (sometimes) worth ten thousand words. *Cognitive Science* 11(1), 65–99.
- Lieberman, J.N. (1977). *Playfulness*. New York: Academic Press.
- MacCrimmon, K.R., & Wagner, C. (1994). Stimulating ideas through creative software. *Management Science* 40, 1514–1532.
- Mayer, R.E. (1993). Illustrations that impact. In *Advances in Instructional Psychology*, (Glaser, R., Ed.), Vol. 4, pp. 253–284. Hillsdale, NJ: Erlbaum.
- Microsoft. (2007). *Encarta World English Dictionary*. Redmond, WA: Microsoft Corporation.
- Nakakoji, K. (1993). *Increasing shared understanding of a design task between designers and design environments: the role of a specification component*. PhD Thesis. University of Colorado at Boulder.
- Oxford University Press. (2007). *Oxford Compact English Dictionary*. New York: Oxford University Press.
- Potelle, H., & Rouet, J.-F. (2003). Effects of content representation and readers' prior knowledge on the comprehension of hypertext. *International Journal of Human-Computer Studies* 58(3), 327–345.
- Sarkar, P., & Chakrabarti, A. (2007). Understanding search in design. *Int. Conf. Engineering Design, ICED'07*, Paris, August 28–31.
- Schnotz, W. (2002). Commentary—towards an integrated view of learning from text and visual displays. *Educational Psychology Review* 14(1), 101–120.
- Suthers, D., & Hundhausen, C. (2002). The effect of representation on students elaborations in collaborative enquiry. *Proc. Int. Conf. Computer Supported Collaborative Learning*, Boulder, CO.
- Torrance, E.P. (1979). The gifted and the talented: their education and development. In *The Gifted and the Talented: Their Education and Development* (Passow, A.H., Ed.), pp. 352–371. Chicago: National Society for the Study of Education.
- Watson, D.L. (1989). Enhancing creative productivity with the Fisher associated lists. *Journal of Creative Behavior* 23(1), 51–58.
- Website 1. (2007). Accessed at [http://www.mycoted.com/Category: Creativity\\_Techniques](http://www.mycoted.com/Category: Creativity_Techniques)
- Woodbury, R.F., & Burrow, A.L. (2006). Whither design space? *Artificial Intelligence for Engineering Design, Analysis and Manufacturing* 20(1), 63–82.
- Young, L.F. (1987). The metaphor machine: a database method for creativity support. *Decision Making Support System* 3, 309–317.
- Zabel, A., Deisinger, J., Weller, F., & Hamisch, T. (1999). A multimodal design environment. *Proc. ESS European Simulation Symp. Exhibition*, Erlangen-Nuremberg, Germany.

Prabir Sarkar is a PhD student at the Centre for Product Design and Manufacturing, Indian Institute of Science, Bangalore, India. He received HIS MDes degree from Indian Institute of Science and worked in the industry for 3 years before seeking his PhD. His research interests are design creativity and biomimicry.

Amaresh Chakrabarti is an Associate Professor at the Centre for Product Design and Manufacturing, Indian Institute of Science, Bangalore, India. He obtained his PhD from the University of Cambridge. Dr. Chakrabarti's research interests are creativity and synthesis, ecodesign, collaborative design, and design research methodology.

## APPENDIX A. REPRESENTATION OF TRIGGERS

### A.1. Only video as representation of the selected trigger

Each selected entry (trigger) has a corresponding video. This placed in a separate slide in the presentation made (see Fig. A.1).

### A.2. Only image as representation of the selected trigger (visual)

Each selected entry (trigger) has a corresponding image. This placed in a separate slide in the presentation that was made (see Fig. A.2).

### A.3. Only the FBS model as representation (verbal)

The definitions of function, behavior, and structure used here are from Chakrabarti et al. (2005):

- function: descriptions of what a system does: it is intentional and at a higher level of abstraction than behavior
- behavior: descriptions of how a system does its function: this is generally nonintentional and at a lower level of abstraction than function

1221  
1222  
1223  
1224  
1225  
1226  
1227  
1228  
1229  
1230  
1231  
1232  
1233  
1234  
1235  
1236  
1237  
1238  
1239  
1240  
1241  
1242  
1243  
1244  
1245  
1246  
1247  
1248  
1249  
1250  
1251  
1252  
1253  
1254  
1255  
1256  
1257  
1258  
1259  
1260  
1261  
1262  
1263  
1264  
1265  
1266  
1267  
1268  
1269  
1270  
1271  
1272  
1273  
1274  
1275  
1276  
1277  
1278  
1279  
1280  
1281




Fig. A.1. Video or animation.



Fig. A.2. Image.

1282  
1283  
1284  
1285  
1286  
1287  
1288  
1289  
1290  
1291  
1292  
1293  
1294  
1295  
1296  
1297  
1298  
1299  
1300  
1301  
1302  
1303  
1304  
1305  
1306  
1307  
1308  
1309  
1310  
1311  
1312  
1313  
1314  
1315  
1316  
1317  
1318  
1319  
1320  
1321  
1322  
1323  
1324  
1325  
1326  
1327  
1328  
1329  
1330  
1331  
1332  
1333  
1334  
1335  
1336  
1337  
1338  
1339  
1340  
1341  
1342

## BATS

### FUNCTION

Unlike most birds, bats are able to fly at relatively low speeds with extreme maneuverability.

### STRUCTURE

The wing is a thin, fleshy membrane supported near its leading edge by the greatly elongated bones of the forelimb and second finger, and toward the tip and rear by the even more attenuated third, fourth, and fifth fingers.

It is attached along the midline of the trunk and outward-directed legs, and in various species it extends between legs and tail. Only the first finger, or thumb, is free, and in most bats it alone is clawed, together with the toes.

This structure enables bats to vary dramatically the convexity of the wings and thus their aerodynamic lift.

Thin, whippy bones, stretchy skin, and wings that billow and change their shape with every stroke are responsible for the flight.

The figure shown alongside illustrates the difference between the bats and birds wings.

The bones of a bat's fingers have adaptations that promote bending.

Also, the cross section of the finger bone is not circular, as is the bone in a human finger, but flattened.

This shape further encourages flexion (think about how much easier it is to bend a soda straw if you first give it a squeeze to flatten it).

It was found that not only are flexible bones vital for bat flight, but so too is the skin that covers the hand-wing.

The skin of most mammals can stretch equally in every direction, but bat-wing skin has many times more "give" along the direction between its body and its wingtip than it does between the leading edge and the trailing one.

### BEHAVIOUR

When the skin billows out as the bat flies, it is stiff enough to transmit substantial force along the length of the wing and generate lift.

In fact, if the skin were any stiffer, the delicate finger bones, despite their flexibility, would probably break.

Unsteady airflow and flexible airfoils is the province of bat flight, unlike a commercial airliner.

Nocturnality gives bats many advantages, such as greatly reduced competition for insects and other food items, substantial freedom from attack, and protection from overheating and dehydration, to which bats are especially liable because of their enormous skin area relative to their size.

Because the complex movements of a bat's bones and skin do not require intricate muscular control, engineers still might try their hand at mimicking the bat's complicated but passive wing—designing a structure whose variable flight surfaces wouldn't require a motor at every joint.

Probably disembodied bat wings will also become an attractive option for flyers of medium scale or small, unmanned reconnaissance vehicles.

Fig. A.3. The function–structure–behavior of an entry.

- structure: structure is described by the elements and interfaces of which the system and its immediate interacting environment are made

For an example, see Figure A.3.

#### A.4. Only data of SAPPPhIRE model as representation (verbal)

A more detailed model for describing the FBS of products is used. In a recent study (Chakrabarti et al., 2005) the product characteristics in an FBS model has been subdivided into seven elementary constructs. We use this model to assess the relative degree of novelty of products. The seven elementary constructs of this model are the following:

1. *action*: an abstract description or high level interpretation of a change of state, a changed state, or creation of an input.
2. *state*: the attributes and values of attributes that define the properties of a given system at a given instant of time during its operation

3. *physical phenomenon (PP)*: a set of potential changes associated with a given physical effect for a given organ and inputs
4. *physical effect (PE)*: the laws of nature governing change
5. *organ*: the structural context necessary for a physical effect to be activated
6. *input*: the energy, information, or material requirements for a physical effect to be activated; interpretation of energy/material parameters of a change of state in the context of an organ
7. *parts*: a set of physical components and interfaces constituting the system and its environment of interaction

These constructs and links are taken together to form a model of causality known as the SAPPPhIRE model (see Fig. A.4).

The relationships between these constructs are as follows: parts are necessary for creating organs. Organs and inputs are necessary for activation of physical effects. Activation of physical effects is necessary for creating physical phenomena and changes of state, and changes of state are interpreted as actions or inputs, and create or activate parts. Essentially,






Fig. A.4. The SAPPhIRE model.

there are three relationships: activation, creation, and interpretation (Fig. A.5.)

**A.5. Only simplified SAPPhIRE model (explicit) in the form of linked VNA as a trigger (visual and verbal)**

Actions are described using a list of verbs, nouns, and adjectives/adverbs. For instance, the action of feeding is described

using “feed” as a verb and with no specific noun or adjective as qualifiers:

ACTION: {A1 \$ V < feed > A <> N <> \$}

A state change is also described using a phrase. In this case, one such state change is “from rest to reciprocating motion”:

STATE: {SS1 \$ From rest to reciprocating motion \$}

Physical phenomena are also expressed in terms of verbs, nouns, and adjectives. For instance, the physical phenomenon of “production of a chemical” is described using the verb “produce” and the noun “chemical” with no specific adjectives:

PHYPHENOMENON: {PP1 \$ V < produce > A <> N < chemical > \$}

Physical effects are described using the name of the effect, for example, “stimulus–response effect”:

PHYEFFECT: {PE1 \$ stimulus - response effect \$}

An input is represented using a verb, noun, and/or an adjective. For instance, an input “electrical signal” is described using no verb, the noun “signal,” and the adjective “electrical”:

INPUT: {I1 \$ V <> A < electrical > N < signal > \$}

**BATS**

**ACTION**  
To navigate from one place to another.

**STATE**  
The bat is at rest.  
The bat is flying.

**PHYPHENOMENON**  
The larynx produces high frequency sound waves.  
The ears receive sound waves.  
The brain gauges the distance.  
The brain gauges the character.

**PHYEFFECT**  
Compression and rarefaction effect.  
Energy conversion effect.  
Data interpretation effect.  
Data interpretation effect.

**INPUT**  
The electrical impulses.  
The sound energy.  
The sound energy.  
The data.

**ORGAN**  
Presence of contact between the larynx and the air.  
Presence of contact b/n ears and reflected sound waves.  
Presence of connections b/n ears and brain.  
Presence of connection between the ears and the brain.

**PARTS**  
Larynx.  
Ears.  
Brain.  
Brain.

Fig. A.5. SAPPhIRE model constructs.

1587 An organ is currently described with the help of a phrase that  
 1588 describes the organ. In the example case, one such organ is “the  
 1589 ability of the scent gland of the Venus flytrap to produce appro-  
 1590 priate chemicals for scent emission”:  
 1591  
 1592

1593 ORGAN: {O1 \$ the ability of the scent gland to produce  
 1594 appropriate chemicals that emit the scent \$}  
 1595  
 1596

1597  
 1598 Parts are defined described with the help of a phrase that  
 1599 describes the part. In the example case, one such parts is  
 1600 “belt pair”:  
 1601  
 1602

1603 PARTS: {P1 \$ belt pairs \$}  
 1604  
 1605  
 1606

1607 The links between these individual fragments of knowl-  
 1608 edge are represented using ordered lists. For instance, the  
 1609 above knowledge fragments are linked together by linking  
 1610 the action with physical phenomenon with the physical effect  
 1611 with the input with the state change with the organ with the  
 1612  
 1613


part, and is represented as the following link:

1648 LINK: A1-SS1 – PP1-PE1-I1-O1-P1. (A1  
 1649 = action 1, SS1 = state change 1, PP1  
 1650 = physical phenomenon 1, PE1  
 1651 = physical effect 1, I1 = input 1, O1  
 1652 = organ 1, P1 = part 1).  
 1653  
 1654  
 1655  
 1656  
 1657

1658 This representations are linked explicitly in a template  
 1659 showing exactly how the constructs are related to each other  
 1660 (see Fig. A.6).  
 1661  
 1662

1663  
 1664 **A.6. Only linked SAPPhIRE model (explicit) in the**  
 1665 **form of paragraphs (linked para) as a trigger**  
 1666 **(visual and verbal)**  
 1667

1668 As explained in the previous subsection, the representation is  
 1669 also done in linked para form. The contents of this represen-  
 1670 tation are similar to “Only data of the SAPPhIRE model as  
 1671 representation (verbal),” but these data are linked to each  
 1672 other showing the relationship among them (see Fig. A.7).  
 1673  
 1674



1642  
 1643  
 1644  
 1645  
 1646  
 1647  
 1648  
 1649  
 1650  
 1651  
 1652  
 1653  
 1654  
 1655  
 1656  
 1657  
 1658  
 1659  
 1660  
 1661  
 1662  
 1663  
 1664  
 1665  
 1666  
 1667  
 1668  
 1669  
 1670  
 1671  
 1672  
 1673  
 1674  
 1675  
 1676  
 1677  
 1678  
 1679  
 1680  
 1681  
 1682  
 1683  
 1684  
 1685  
 1686  
 1687  
 1688  
 1689  
 1690  
 1691  
 1692  
 1693  
 1694  
 1695  
 1696  
 1697  
 1698  
 1699  
 1700  
 1701  
 1702  
 1703  
 1704  
 1705  
 1706  
 1707  
 1708

Fig. A.6. The SAPPhIRE model explicitly linked in a simplified manner.




Fig. A.7. The linked SAPPiRE model (explicit) in the form of paragraphs as a trigger (visual and verbal).

## APPENDIX B: THE PROBLEM

Design conceptual solutions for a foldable roof for a cruise. A small restaurant runs on the open space of the cruise and the roof is generally open. The roof needs to be used during midday to avoid scorching sun-shine and during rain. The rough dimension of the open space is about 50 (length)  $\times$  10 (breadth)  $\times$  10 (height) m (see Figs. B.1 and B.2).

## APPENDIX C: TERMS RELATED TO SEARCHES OF SOLUTION SPACES

The characteristics of different kinds of searches are provided below. For the purpose of illustrating let us assume the following given design problem: design a system that can drill a hole in a material in any direction and whose direction can change while the drilling is in progress.

### C.1. Solution generation

#### C.1.1. Unknown solution search

- This occurs when a designer find a new solution while searching an unknown solution space.

- It is not presearched, that is, the designer did not have any idea about any possible solution of any problem that lies in that space.
- It is characterized by identification of a “new function”/action.
- If the function of the product is compared with that of other products, and this function does not exist in any other product, this is an unknown idea space search.
- Example: “Use of 3-D laser cutting for soft material” (that such a technology could be used was “unknown” to the designer).

#### C.1.2. Global solution search

- This occurs when a solution is generated through the search of a global solution space. The designer might have modified the solution after retrieving it from that space. This solution belongs to a new global solution space, that is, it does not belong to any previously visited global solution spaces.
- New ideas are found through a search of the global search spaces.



Fig. B.1. Problem 1 details, part 1. The circled area is the place where the solution is supposed to fit.

- These searches are recognized by a new solution belonging to a new domain or a change in perspective.
- The new solution is dissimilar from other previous solutions in terms of “state change,” “input,” “physical effect,” “physical phenomenon,” “organ,” and “parts.”
- Example: “Use microrobots.” Robots have been used in the manufacturing industry in many countries, but it was a global search for the designer, as such an idea, that was used for the first time in solving this particular problem. The solution as such is not novel, but




Fig. B.2. Problem 1 details, part 2.

1953	its use is also the solution, which is different from the	
1954	previous idea in terms of “state change,” “input,” and	
1955	others.	
1956		
1957		
1958		
1959	<i>C.1.3. Local solution search</i>	
1960		
1961	• New ideas are found through searching of the local	
1962	search space.	
1963	• A local search space is within a global search space; the	
1964	ideas are similar in terms of input and action, but differ-	
1965	ent in the physical effect, physical phenomenon, organ,	
1966	and parts used.	
1967	• Example: “use of remote controlled drilling system.” Here	
1968	the designer uses a new physical effect for this solution,	
1969	the existing system being a standard drilling system.	
1970		
1971		
1972		
1973		
1974		
1975		
1976		
1977		
1978		
1979		
1980		
1981		
1982		
1983		
1984		
1985		
1986		
1987		
1988		
1989		
1990		
1991		
1992		
1993		
1994		
1995		
1996		
1997		
1998		
1999		
2000		
2001		
2002		
2003		
2004		
2005		
2006		
2007		
2008		
2009		
2010		
2011		
2012		
2013		
	<i>C.1.4. Detail solution search</i>	
	• New ideas (or modification of the local idea) are found	
	through detailed searching of the detail search space.	
	• Solutions in the detail search are similar to those in a local	
	search in terms of the same state change/action and PP and	
	PE. However, they are more detailed, and it looks as if one	
	has zoomed into the space to have better clarity on a small	
	set of ideas. The difference is only in terms of organ and parts.	
	• This is identified when there is a change in partial struc-	
	ture, addition of another structure, or modification of the	
	same structure to do other subfunctions.	
	• Example: “. . . use microrobots that are fitted with a crawler,	
	have a laser for cutting, and have three stepper motors	
	for three axis movement” (the designer is detailing a so-	
	lution that has already been generated earlier).	